

# POWER TOOLS PROMO

PNEUMATIC HAND TOOLS



DNT-2024-07



WORKHOLDING • INDEXABLE MILLING • POWER TOOLS



**Power tools that production shops can depend on.**

**Grinding, deburring, and sanding tools that deliver superior performance over millions of cycles.**

**25% OFF**

a selection of our best-selling Pneumatic Hand Tools.

Use promo code **PRO-BIAX**



Download full promo flyer to view additional tool info and specs



HB 15-1 Belt Sander



SRD 3-55/2 Pencil Grinder



TVD 3-100/2 Oil-Free Grinder



WRD 6-20/2ZL90 Angle Grinder

## BIAX Pneumatic Hand Tools – Promotional Pricing

Order Code	Description	List Price	Promotional List Price	<b>SAVINGS</b>
150149906	TVD 3-100/2 Oil-Free Grinder – 100,000 rpm / 80 watts	\$1,122.67	\$842.00	\$280.67
150149500	T 3-90 S Oil-Free Grinder – 90,000 rpm / 25 watts	\$1,195.43	\$896.57	\$298.86
150001710	TSD 385 Oil-Free Grinder – 85,000 rpm / 100 watts	\$1,301.35	\$976.01	\$325.34
150149730	T 365/2 Oil-Free Grinder – 65,000 rpm / 80 watts	\$1,162.78	\$872.09	\$290.70
150001060	SRD 3-85/2 Grinder – 85,000 rpm / 80 watts – rotary valve	\$956.64	\$717.48	\$239.16
150001065	SRH 3-85/2 Grinder – 85,000 rpm / 80 watts – lever valve	\$956.64	\$717.48	\$239.16
150000925	SRD 3-55/2 Pencil Grinder – 55,000 rpm / 60 watts	\$921.85	\$691.39	\$230.46
150010750	SRD 6-45/2 Straight Grinder – 45,000 rpm / 260 watts – rotary valve	\$1,072.07	\$804.05	\$268.02
150010760	SRH 6-45/2 Straight Grinder – 45,000 rpm / 260 watts – lever valve	\$1,072.07	\$804.05	\$268.02
150123430	WRD 6-20/2ZL90 Angle Grinder – 20,000 rpm / 300 watts	\$1,720.37	\$1,290.28	\$430.09
150122200	HB 3 Mini Belt Sander – 28,000 rpm / 150 watts	\$1,972.58	\$1,479.44	\$493.15
150123645	HB 15-1 Belt Sander – 20,000 rpm / 300 watts	\$1,657.12	\$1,242.84	\$414.28
Accessories	25% discount off list price applies. Must be purchased at same time as tool.			

Promo ends 7/31/2024. Subject to change without notice. See [dapra.com/promos](http://dapra.com/promos) for additional terms.



Medical



Aerospace



Automotive



Rail



Oil and Gas



Steel



Stainless



Iron



Grinding



Angle Grinding



Sanding



Deburring



Filing



DAPRA NEXT TECHNOLOGY



Die & Mold



Power Generation



Heavy Industry



General Engineering



Firearms



Non-Ferrous



Super Alloys



Hardened



Brushing



Chiseling & Engraving



Screwdriving



Automation & Robot Machining



Scraping

[www.DAPRA.COM/PROMOS](http://www.DAPRA.COM/PROMOS)

(800) 243-3344

[info@dapra.com](mailto:info@dapra.com)

# POWER TOOLS PROMO

PNEUMATIC HAND TOOLS



DNT-2024-07

# DAPRA

WORKHOLDING • INDEXABLE MILLING • POWER TOOLS



## BIAX TOOLS INCLUDED IN THIS PROMO:


### HIGH-SPEED, OIL-FREE GRINDERS



**TVD 3-100/2 Oil-Free Grinder**  
100,000 rpm / 80 watts



**T 3-90 S Oil-Free Grinder**  
90,000 rpm / 25 watts



**TSD 385 Oil-Free Grinder**  
85,000 rpm / 100 watts



**T 365/2 Oil-Free Grinder**  
65,000 rpm / 80 watts

### STRAIGHT GRINDERS



**SRD 6-45/2 (Rotary Valve – shown) & SRH 6-45/2 (Lever Valve) Straight Grinders**  
45,000 rpm / 260 watts

### HIGH-SPEED, STRAIGHT GRINDERS



**SRD 3-85/2 (Rotary Valve) & SRH 3-85/2 (Lever Valve) Grinders**  
85,000 rpm / 80 watts



**SRD 3-55/2 Pencil Grinder**  
55,000 rpm / 60 watts

### ANGLE GRINDER



**WRD 6-20/2ZL90 Angle Grinder**  
20,000 rpm / 300 watts

### BELT SANDERS



**HB 3 Mini Belt Sander**  
28,000 rpm / 150 watts



**HB 15-1 Belt Sander**  
20,000 rpm / 300 watts



Download full promo flyer to view additional tool info and specs.

# POWER TOOLS PROMO

PNEUMATIC HAND TOOLS



DNT-2024-07

# DAIPRA®

WORKHOLDING • INDEXABLE MILLING • POWER TOOLS



## HIGH-SPEED, OIL-FREE GRINDERS



No oil-bearing compressed air required.  
Please operate at 6 bar.

Speed [rpm]: 100,000  
Power [watts]: 80



DNT

**TV D 3-100/2**  
Order no. 150 149 906

CLICK FOR  
DETAILS

Ideal surface quality without machining marks during delicate deburring work thanks to the very high speed and elastic spindle bearings. Very quiet running and good handling due to compact dimensions.

### Included accessories

Collet ZG 5 / 3 mm  
Order no. 001 999 985

Collet wrench, size 6+8  
Order no. 007 899 751

Hose unit  
Order no. 001 366 537



### Optional accessories

Vario-holder  
Order no. 007 012 848



Connection set  
Order no. 007 899 115  
(without hose unit)



Speed [rpm]: 90,000  
Power [watts]: 25



DNT

**T 3-90 S**  
Order no. 150 149 500

CLICK FOR  
DETAILS

Achieve excellent surface results with the finest deburring and grinding work at 90,000 rpm. Experience grinding with incredibly low effort – the slim, graceful device with a diameter of just 22mm sits very comfortably in the hand and runs extremely smoothly and quietly. Variable air consumption for reduced energy costs: the air consumption is automatically decreased with a reduced load!

### Included accessories

Collet ZG 5 / 3 mm  
Order no. 001 999 985

Collet wrench, size 6+8  
Order no. 007 899 751

Hose unit  
Order no. 001 367 507



### Optional accessories


Vario-holder  
Order no. 007 012 848



Connection set  
Order no. 007 899 115  
(without hose unit)



Speed [rpm]: 85,000  
Power [watts]: 100



**TSD 385**  
Order no. 150 001 710

CLICK FOR  
DETAILS

With a patented, oil-free vane motor for high-precision applications. High performance, with double bearing, thus ensuring high resistance to wear. Rotary valve.

### Included accessories

Collet ZG 5 / 3 mm  
Order no. 001 999 985

Collet wrench, size 6+8  
Order no. 007 899 751

Hose unit  
Order no. 001 366 576



### Optional accessories

Vario-holder  
Order no. 007 012 848



Connection set  
Order no. 007 899 115  
(without hose unit)



## HIGH-SPEED, OIL-FREE GRINDERS

 No oil-bearing compressed air required.  
Please operate at 6 bar.

Speed [rpm]: 65,000  
Power [watts]: 80

**T 365/2**  
Order no. 150 149 730

[CLICK FOR DETAILS](#)



Thanks to the elastic bearing sets, rotary burrs with a head diameter of 6 mm can be used without any vibrations. The centrifugal governor ensures a constant speed under different loads and acts as a power reserve.

### Included accessories

Collet ZG 5 / 3 mm  
Order no. 001 999 985

Collet wrench, size 6+8  
Order no. 007 899 751

Hose unit  
Order no. 001 366 594



### Optional accessories

Vario-holder  
Order no. 007 012 848



Connection set  
Order no. 007 899 115  
(without hose unit)



## HIGH-SPEED, STRAIGHT GRINDERS

 Please operate with 2–3 drops  
of oil per minute at 6 bar.

Speed [rpm]: 85,000  
Power [watts]: 80

**SRD 3-85/2 (Rotary Valve)**  
Order no. 150 001 060

[CLICK FOR DETAILS](#)

**SRH 3-85/2 (Lever Valve)**  
Order no. 150 001 065

[CLICK FOR DETAILS](#)


Lightweight and highly convenient machine, fits in your hand like a pencil. Surprisingly powerful, despite the speed of 85,000 rpm. Ideal for delicate grinding, milling and engraving work. Single bearing set. Exhaust air direction: backwards.

### Included accessories

Collet ZG 5 / 3 mm  
Order no. 001 999 985

Collet wrench, size 6+8  
Order no. 007 899 751

Hose unit  
Order no. 001 366 595



### Optional accessories

Vario-holder  
Order no. 007 012 848



Connection set  
Order no. 007 899 116  
(without hose unit)



## HIGH-SPEED, STRAIGHT GRINDERS

 Please operate with 2–3 drops of oil per minute at 6 bar.

Speed [rpm]: 55,000  
Power [watts]: 60

**SRD 3-55/2**  
Order no. 150 000 925

[CLICK FOR DETAILS](#)



A class apart: small, lightweight, convenient, and with an incredibly high power-to-weight ratio (power per gram) at a speed of 55,000 rpm. The most powerful grinder of its kind. It sits in your hand like a pencil.

### Included accessories

Collet ZG 5 / 3 mm  
Order no. 001 999 985


Collet wrench, size 6+8  
Order no. 007 899 751

Hose unit  
Order no. 001 366 595



### Optional accessories

Vario-holder  
Order no. 007 012 848



Connection set  
Order no. 007 899 116  
(without hose unit)



## STRAIGHT GRINDERS

 Please operate with 3-4 drops of oil per minute at 6 bar.

Speed [rpm]: 45,000  
Power [watts]: 260

**SRD 6-45/2 (Rotary Valve)**  
Order no. 150 010 750

[CLICK FOR DETAILS](#)

**SRH 6-45/2 (Lever Valve)**  
Order no. 150 010 760

[CLICK FOR DETAILS](#)



A combination of high speed and outstanding performance. Can be used universally for both delicate and rough work using rotary burrs with head diameters of 3–8 mm.

### Included accessories


Collet ZG 4 / 6 mm  
Order no. 001 999 990

Collet wrench, size 9+11  
Order no. 007 899 874



### Optional accessories

Vario-holder  
Order no. 007 012 848



Connection set  
Order no. 007 899 102  
(incl. hose unit)



Hose unit  
Order no. 001 366 577



## ANGLE GRINDERS

 Please operate with 2–3 drops of oil per minute at 6 bar.

Speed [rpm]: 20,000  
Power [watts]: 300

**WRD 6-20/2 ZL 90**  
Order no. 150 123 430


[CLICK FOR DETAILS](#)

Small 90° angled head with extended neck. Suitable for work on hard-to-reach areas. Numerous tools can be used thanks to the collet system. Rotary valve.

### Included accessories

Collet ZG 4 / 6 mm  
Order no. 001 999 990

Collet wrench, size 9+11  
Order no. 007 899 874



### Optional accessories

Connection set  
Order no. 007 899 103  
(incl. hose unit)



Hose unit  
Order no. 001 366 578



## BELT SANDERS

 Please operate with 2–3 drops of oil per minute at 6 bar.


Speed [rpm]: 28,000  
Power [watts]: 150



**HB 3**  
Order no. 150 122 200

[CLICK FOR DETAILS](#)

Extremely lightweight, low-noise mini belt sander with powerful motor and direct drive without angular gear unit. Ideal for deburring and finishing, especially components made of aluminum and steel. Tool-free changing of the grinding arm.



### Optional accessories

Maintenance unit  
Order no. 001 367 024



Conversion kit to angle grinder WRH 28 S  
Order no. 007 015 448

Hose unit  
Order no. 001 367 524



Connection set  
Order no. 007 899 117




WRH 28 S Angle Grinder

Speed [rpm]: 20,000  
Power [watts]: 300

**HB 15-1**  
Order no. 150 123 645

[CLICK FOR DETAILS](#)

Compact belt sander for belt widths from 8 and 15 mm. Long grinding arm available for 475 mm sanding belts.



### Included accessories

Assembly spanner  
Sanding belt 330 x 15 (grit size 120)  
Sanding belt 330 x 8 (grit size 120)

### Optional accessories

Connection set  
Order no. 007 899 101  
(incl. hose unit)



Hose unit  
Order no. 001 366 505

